EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	139	generic near2 (interface wrapper) with (object component wrapper) same (link$3 connect$3 path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:40
L2	10	intermediat$4 near2 (interface wrapper component module) with (object software adj component) with (name id identification identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:40
L3	11291	(interface wrapper component module) with (object software adj component) with (name id identification identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:40
L4	579	intermediat$4 near2 (interface wrapper component module) with (object software adj component)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:40
L5	1	intermediat$4 near2 (interface wrapper component module) with (object software adj component) with (identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:40
L6	51	hook$4 near2 (interface wrapper) with object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:40
L7	42	inject$4 near2 (interface wrapper) with object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:40
L8	28	inject$4 with (interface wrapper) with object and establish$6 with (path link communication)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:40
L9	255	inject$4 with (interface wrapper) with object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:40
L10	1	inject$4 with (interface wrapper) with object same establish$6 with (path link communication)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:40

L11	23	inter with isolation with communication and (remote with (procedure or method or call))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/11/14 11:40
L12	7	inter with isolation with communication same object	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/11/14 11:40
L13	9	(US-20020161894-$ or US-20030149967-$ or US-20020138665-$).did. or (US-6480882-$ or US-6493768-$ or US-6539422-$ or US-6542908-$ or US-6571252-$ or US-6609158-$ or US-6636831-$ or US-6691122-$ or US-6754704-$ or US-6567974-$ or US-6513158-$ or US-6529962-$ or US-6496865-$ or US-6728788-$).did.	US-PGPUB; USPAT	OR	ON	2006/11/14 11:40
L14	5	L13 and (path or connection or session) and (conver$4 or translat$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/11/14 11:40
L15	165	((Java adj Remote adj Method adj Invocation) or RMI).ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/11/14 11:40
L16	56	((Java adj Remote adj Method adj Invocation) or RMI same object).ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/11/14 11:40
L17	38	(jvm or (java adj virtual adj machine)) with (run$4 or execut$4) adj5 (multiple or multi or plurality) adj5 (program or application or process)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L18	68	isolat$4 near2 (unit or module or component or domain or space) and (rmi or (remote adj method adj invocation)) and applet	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L19	135	isolat$4 near2 (unit or module or component or domain or space) and (rmi or (remote adj method adj invocation))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L20	18	isolat$4 with execution with (unit or module or component or domain or space) and (rmi or (remote adj method adj invocation))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L21	2	isolat$4 with execution with (unit or module or component or domain or space) same rmi	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40

L22	2	isolat$3 adj execution adj unit	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/11/14 11:40
L23	98	(RMI or (remote adj method)) with server with object same (translat$4 or conver$4 or format$4 or marshal$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L24	98	(RMI or (remote adj method)) with server with object same (translat$4 or conver$4 or format$4 or marshal$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L25	39	(RMI or (remote adj method)) with server with object same (translat$4 or conver$4 or format$4 or marshal$4) same (link or path or session or connection)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L26	84	(rmi or (remote adj method adj invocation)) same client same (server with object) same (browser or virtual adj machine)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L27	199	browser with (applet or servlet or xlet) with (interface or socket or adapt$4 or connector or proxy or stub) same (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L28	48	browser with (applet or servlet or xlet) near3 (interface or socket or adapt$4 or connector or proxy or stub) same (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L29	1132	browser with (applet or servlet or xlet) with (interface or socket or adapt$4 or connector or proxy or stub)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L30	51	xlet same java	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L31	55	(RMI or (remote adj method)) with object with server same (protocol or socket) same (translat$4 or conver$4 or format$4 or map$4 or marshal$4 or unmarshal$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L32	110	xlet	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40

EAST Search History

L33	155	(RMI or (remote adj method)) with object with server same (protocol or socket)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L34	445	(RMI or (remote adj method)) with object with server	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L35	22	JAVA with RMI with server with object same (translat$4 or conver$4 or format$4 or marshal$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L36	10	(RMI or (remote adj method)) with server with object same (translat$4 or conver$4 or format$4 or marshal$4) same (link or path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L37	113	JAVA with RMI with server with object	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L38	85	((remote adj method adj invocation) or rmi).ab.	US-PGPUB; USPAT; USOCR	AND	ON	2006/11/14 11:40
L39	3	browser with applet with (interface or mediat$4 or intermed$4 or socket or adapt$4 or connect$4) same (protocol) same (rmi or remote adj method)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L40	29	RMI with server with object with socket	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L41	63	(virtual adj machine or process or browser or isolat$4 adj2 unit) with (remote adj (method or procedure) or rmi) near3 (adapt$4 or socket or mediat$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L42	55	L41 and (((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L43	144	(virtual adj machine or process or browser or isolat$4 adj2 unit) with (remote adj (method or procedure) or rmi) near3 (adapt$4 or socket or mediat$4 or interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40

EAST Search History

L44	115	L43 and (((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L45	60	L44 not L42	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L46	63	(virtual adj machine or process or browser or isolat$4 adj2 unit) with (remote adj (method or procedure) or rmi) near3 (adapt$4 or socket or mediat$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L47	15	(virtual adj machine or unix adj process or browser) with (remote adj (method or procedure) or rmi) near3 (adapt$4 or socket)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L48	594	(719/313).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2006/11/14 11:40
L49	1247	(719/328).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2006/11/14 11:40
L50	512	(718/1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2006/11/14 11:40
L51	12	Java adj Remote adj Method adj Protocol	USPAT	AND	ON	2006/11/14 11:40
L52	34	(virtual adj machine or unix adj process or browser) same (remote adj (method or procedure) or rmi) near3 (adapt$4 or socket)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L53	132	(virtual adj machine or unix adj process or browser) with (mediat$4 or intermed$4 or interface or proxy or stub) same (remote adj (method or procedure) or rmi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L54	324	(virtual adj machine or unix adj process or browser) same (mediat$4 or intermed$4 or interface or proxy or stub) same (remote adj (method or procedure) or rmi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L55	17	isolat$4 with execution with (unit or module or component) and rmi	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40

EAST Search History

L56	5	isolat$4 near execution near (unit or module or component)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L57	2	isolat$4 near execution near (unit or module or component) and rmi	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40
L58	254	isolat$4 with execution with (unit or module or component)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2006/11/14 11:40

Web   Images   Video   News   Maps   more »

Google

site:portal.acm.org inter isolation "remote meth [Search]   Advanced Search
Preferences

Web   Results 1 - 31 of about 43 from **portal.acm.org** for **inter isolation "remote method invocation"**. (0.11 seconds)

Incommunicado
Efficient implementations of Java **remote method invocation**. In Proceedings of the
4th Conference ... application **isolation**, **inter**-application communication ...
portal.acm.org/citation.cfm?id=582444&
dl=ACM&coll=&CFID=263104&CFTOKEN=75637924 - Similar pages

[PDF] Luna: a Flexible Java Protection System
File Format: PDF/Adobe Acrobat
The two goals of sharing and **isolation** conflict with. each other, and building a system
to ... x. f is like a **remote method invocation**, except that the ...
portal.acm.org/citation.cfm?doid=844128.844164 - Similar pages

[PDF] Distributed Objects
File Format: PDF/Adobe Acrobat
Components are rarely used in **isolation**. They rather have to ... We review the
structured storage **inter**- ... Java **Remote Method Invocation** Speci$cation, ...
portal.acm.org/ft_gateway.cfm?id=302926&type=pdf - Similar pages

[PDF] Evaluating the Performance Limitations of MPMD Communication
File Format: PDF/Adobe Acrobat
Moreover, such systems are usually evaluated in **isolation**. ... simplest form of single-
threaded **remote method invocation**. was introduced by Active Messages ...
portal.acm.org/ft_gateway.cfm?id=509604&
type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=6... - Similar pages

[PDF] Abstracting Remote Object Interaction in a Peer-2-Peer Environment
File Format: PDF/Adobe Acrobat
as the **remote method invocation** or the tuple space, illus-. trating how the BL
abstraction, ... sary to handle protocols and QoS expressions in **isolation** ...
portal.acm.org/ft_gateway.cfm?id=583816&type=pdf&coll=ACM&dl=ACM -
Similar pages

Evaluating the Performance Limitations of MPMD Communication
File Format: Unrecognized
which involves computing the intra- and **inter**-molecular. forces for molecules
contained in a ... Moreover, such systems are usually evaluated in **isolation**. ...
portal.acm.org/ft_gateway.cfm?id=509604&type=pdf - Supplemental Result -
Similar pages

[PDF] Proceedings of the 1997 Winter Simulation Conference ed. S ...
File Format: PDF/Adobe Acrobat
the Java RMI (**remote method invocation**) system. is developed in this section. ... for
the **isolation** of the simulation submodel R: sub- ...
portal.acm.org/ft_gateway.cfm?id=268513&type=pdf - Similar pages

[PDF] Ajents: Towards an Environment for Parallel, Distributed and ...
File Format: PDF/Adobe Acrobat
mentation do not adversely affect **remote method invocation**. times; and (somewhat
surprisingly) ... mote method invocation and object migration in **isolation**, ...
portal.acm.org/ft_gateway.cfm?id=304089&type=pdf - Similar pages

[PDF] An Initial Assessment of Aspect-oriented Programming
File Format: PDF/Adobe Acrobat
top of Java's **Remote Method Invocation** (RMI) protocol. Each JCore class, Cool
coordinator ... discuss each data element in **isolation**, and then correlate and ...
portal.acm.org/ft_gateway.cfm?id=302458&
type=pdf&coll=&dl=ACM&CFID=15151515&CFTOKEN=6... - Similar pages

[PDF] Composing Distributed Applications through Generative Communication
File Format: PDF/Adobe Acrobat
ODP) [ISO95] and Java's RMI (**Remote Method Invocation**) IAG96]. ... in Figure 2 in
isolation, it is a component depending on two object spaces, ...
portal.acm.org/ft_gateway.cfm?id=319228&
type=pdf&coll=&dl=ACM&CFID=15151515&CFTOKEN=6... - Similar pages

[PDF] Towards a World-Wide Civilization of Objects
File Format: PDF/Adobe Acrobat
TIE has been implemented before in **isolation**, it is the integration of such key ...
stationary objects can be operated on by **remote method invocation** (RMI), ...
portal.acm.org/ft_gateway.cfm?id=504456&type=pdf - Similar pages

[PDF] Reusable Models for Timing and Liveness Analysis of Middleware for ...
File Format: PDF/Adobe Acrobat
timely return of a remote method invocation (A1), may depend ... ority isolation
achieved by separation of I/O handling for the events ...
portal.acm.org/ft_gateway.cfm?id=1176924&
type=pdf&coll=ACM&dl=ACM&CFID=15151515&CFTOK... - Similar pages

[PDF] XORP: An Open Platform for Network Research
File Format: PDF/Adobe Acrobat
bility we designed a novel inter-process communication mecha-. nism for
communication between these modules. ... Unlike many RPC or remote method
invocation ...
portal.acm.org/citation.cfm?doid=774763.774771 - Similar pages

Implementing remote procedure calls
Jim Waldo, Remote Procedure Calls and Java Remote Method Invocation, ...
Efficient software-based fault isolation, ACM SIGOPS Operating Systems Review, ...
portal.acm.org/citation.cfm?id=357392 - Similar pages

[PDF] Supporting Application Development in the Semantic Web
File Format: PDF/Adobe Acrobat
cess via Java Remote Method Invocation (RMI), or ones that offer asynchronous.
communication. ... been described in Isolation from each other, interact. ...
portal.acm.org/ft_gateway.cfm?id=1064342&type=pdf - Similar pages

[PDF] Programming Languages for Mobile Code
File Format: PDF/Adobe Acrobat
1996] the overhead of inter-. pretation is eliminated through soft-. ware fault isolation
(SFI). Code for the. Omniware abstract machine is trans- ...
portal.acm.org/citation.cfm?doid=262009.262010 - Similar pages

[PDF] SmartApps: Middle-ware for Adaptive Applications on Reconfigurable ...
File Format: PDF/Adobe Acrobat
mized in isolation and without the knowledge of instance specific ... a common
remote method invocation (RMI) interface to all other ...
portal.acm.org/ft_gateway.cfm?id=1131338&type=pdf - Similar pages

TOCS: Volume 2, Issue 1 , Implementing remote procedure calls
Graham , Efficient software - based fault isolation , ACM SIGOPS Operating Systems
Review ... distributed naming and binding , inter - process communication ...
portal.acm.org/citation.cfm?id=2080.357392&
coll=GUIDE&dl=ACM&idx=J774&part=periodical&... - Supplemental Result -
Similar pages

[PDF] Andrew S. Grimshaw, Wm. A. Wulf, and the Legion team
File Format: PDF/Adobe Acrobat
isolation but generally lacking coherence and scalability, ... Legion are Java's lack of
a remote method invocation facility, ...
portal.acm.org/ft_gateway.cfm?id=242867&type=pdf - Similar pages

[PDF] Performance Implications of Design Pattern Usage in Distributed ...
File Format: PDF/Adobe Acrobat
not be seen in isolation as it is influenced by many other. factors, e.g., hardware
limitations, ... implementation, Remote Method Invocation (RMI) [24] was ...
portal.acm.org/ft_gateway.cfm?id=1147250&type=pdf - Similar pages

ACM: Digital Library: Communications of the ACM
Java and its mechanism for remote method invocation (RMI) are key
technologies ... Computation in isolation from the world has only limited value beyond
the ...
portal.acm.org/citation.cfm?doid=332833.332839 - Similar pages

[PDF] Saving the World from Bad Beans: Deployment-Time Confinement Checking
File Format: PDF/Adobe Acrobat
An EJB object may use a number of other objects inter- ... ant with the Java Remote
Method Invocation (RMI) speci-. fication [44]. ...
portal.acm.org/ft_gateway.cfm?id=949339&type=pdf - Similar pages

[PDF] Overload Management as a Fundamental Service Design Primitive
File Format: PDF/Adobe Acrobat
Performance isolation: Requiring stages to communicate. through explicit event-
passing ... [22] Sun Microsystems, Inc. Java Remote Method Invocation. http: ...
portal.acm.org/ft_gateway.cfm?id=1133386&type=pdf - Similar pages

[PDF] Implementing Distribution and Persistence Aspects with AspectJ

File Format: PDF/Adobe Acrobat
that this could be easily achieved with AspectJ by inter- ... consistency, isolation
when performing operations, and data ...

portal.acm.org/ft_gateway.cfm?id=582437&
type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=6... - Similar pages

Implementing remote procedure calls
... Optimizing remote method Invocation with communication-computation overlap,
... distributed naming and binding, inter-process communication, ...
portal.acm.org/citation.cfm?id=357392&
dl=ACM&coll=GUIDE&CFID=11111111&CFTOKEN=2222222 - Similar pages

[PDF] Resource Aware Programming
File Format: PDF/Adobe Acrobat
Application isolation api specification. Web site: http://www.jcp.org/ ... Java Remote
Method Invocation Specification. Sun MicroSystems,. Santa Clara, CA. ...
portal.acm.org/ft_gateway.cfm?id=1065891&type=pdf - Similar pages

[PDF] SEDA: An Architecture for Well-Conditioned, Scalable Internet Services
File Format: PDF/Adobe Acrobat
modules provides isolation, modularity, and independent load manage- ... [54] Sun
Microsystems, Inc. Java Remote Method Invocation. http:// ...
portal.acm.org/citation.cfm?doid=502059.502057 - Similar pages

[PS] Engineering a Global Resolution Service
File Format: Adobe PostScript
Isolation: An authority has control over name assignment, resolution, and policy ...
Network communication is handled by Java's Remote Method Invocation ...
portal.acm.org/ft_gateway.cfm?id=888639&type=ps - Similar pages

[PDF] The Costs and Limits of Availability for Replicated Services
File Format: PDF/Adobe Acrobat
system communicates using Java's remote method invocation (RMI), we use ...
Wool [1996] evaluate the availability of a quorum system running at two inter- ...
portal.acm.org/ft_gateway.cfm?id=1124156&type=pdf - Similar pages

[PDF] © Copyright 1996 Sun Microsystems, Inc. The SML Technical Report ...
File Format: PDF/Adobe Acrobat
memory management and adds a degree of inter-thread protection unavailable in ... 4
Sun Microsystems Inc. Java remote method invocation specication, draft ...
portal.acm.org/ft_gateway.cfm?id=974962&type=pdf - Similar pages

[PDF] Fast Detection of Communication Patterns in Distributed Executions ...
File Format: PDF/Adobe Acrobat
a Java Remote Method Invocation (RMI). interface for interaction with the MVMs. ...
tory passes a description of the object to the user inter- ...
portal.acm.org/ft_gateway.cfm?id=782022&
type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=6... - Similar pages

*In order to show you the most relevant results, we have omitted some entries very similar to the 31 already displayed.
If you like, you can repeat the search with the omitted results included.*

Try Google Desktop: search your computer as easily as you search the web.

site:portal.acm.org inter isolation "re| Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google